

**Kõrget temperatuuri taluvad ventilaatorid**

**LFS Serija**

**MPB-HT**

**MSB-HT**

**AFC-HT**



Tüüp	Võimsus (kW)	Pinge (V)	Vool (A)	Pöörete arv (x/min)	Õhukogus (m <sup>3</sup> /h)	Surve max Pa	Kaal (kg)	Mürategur (dB)	Töötemperatuur (C)	IP kaitseaste
<a href="#"><u>LFS-2-120/52-008S</u></a> <a href="#"><u>APHT</u></a> <a href="#"><u>_GHT</u></a>	0.08	230	0.75	---	450	360	6	---	-20 +200	IP 55
<a href="#"><u>LFS-2-160/62-018S</u></a> <a href="#"><u>APHT</u></a> <a href="#"><u>_GHT</u></a>	0.18	230	1.5	---	680	680	7.8	---	-20 +200	IP 55
<a href="#"><u>LFS-2-180/62-055T</u></a> <a href="#"><u>APHT</u></a> <a href="#"><u>_GHT</u></a>	0.55	230/400	4.2	---	1180	750	9.2	---	-20 +200	IP 55
<a href="#"><u>LFS-2-97/42-003S</u></a> <a href="#"><u>APHT</u></a> <a href="#"><u>_GHT</u></a>	0.03	230	0.4	---	190	160	4.4	---	-20 +200	IP 55
<a href="#"><u>MPB130T</u></a> <a href="#"><u>RD</u></a> <a href="#"><u>HT</u></a> <a href="#"><u>GALV</u></a>	1.1	400	2.45	2820	1500	2000	37	---	-20 +250	IP 55
<a href="#"><u>MPB200T</u></a>	1.5	400	3.1	2820	2300	2200	44.5	---	-20 +250	IP 55



<a href="#"><u>AFC- HT/4 -900- 400</u></a>	<b>4</b>	<b>400V</b>	<b>8.1</b>	---	---	---	---	---	<b>-20 +90</b>	<b>IP 55</b>
<a href="#"><u>AFC- HT/4 -900- 750</u></a>	<b>7.5</b>	<b>400V</b>	<b>14.4</b>	---	---	---	---	---	<b>-20 +90</b>	<b>IP 55</b>
<a href="#"><u>AFC- HT/2 -400- 150</u></a>	<b>1.5</b>	<b>400V</b>	<b>3.4</b>	---	---	---	---	---	<b>-20 +90</b>	<b>IP 55</b>
<a href="#"><u>AFC- HT/2 -450- 300</u></a>	<b>3</b>	<b>400V</b>	<b>6.5</b>	---	---	---	---	---	<b>-20 +90</b>	<b>IP 55</b>
<a href="#"><u>AFC- HT/2 -500- 300</u></a>	<b>3</b>	<b>400V</b>	<b>6.5</b>	---	---	---	---	---	<b>-20 +90</b>	<b>IP 55</b>